

# HADRON<sub>mini</sub> R1271C

## FCC GRANT

**TCB**

**GRANT OF EQUIPMENT  
AUTHORIZATION**

**TCB**

**Certification  
Issued Under the Authority of the  
Federal Communications Commission  
By:**

**EMCCons DR RASEK GmbH & Co. KG  
Stoernhofer Berg 15  
Unterleinleiter, 91364  
Germany**

**Date of Grant: 06/26/2020**

**Application Dated: 06/26/2020**

**CAEN RFID srl  
via Vetraia, 11 - 55049 Viareggio (LU) - ITALY  
Viareggio, 55049  
Italy**

**Attention: Adriano Bigongiari , CEO**

**NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

**FCC IDENTIFIER:** UVECAENRFID031  
**Name of Grantee:** CAEN RFID srl  
**Equipment Class:** Part 15 Spread Spectrum Transmitter  
**Notes:** R1271C HadronMini 1-port Embedded RAIN RFID Reader  
**Modular Type:** Limited Single Modular

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
	15C	902.75 - 927.25	0.516		

Output power is conducted. The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be collocated or operating in conjunction with any other antenna or transmitter within a host device, except in accordance with FCC multi-transmitter product procedures. This module can only be used with a host antenna circuit trace layout design in strict compliance with the OEM instructions provided. Installers and end-users must be provided with antenna installation instructions and transmitter operating conditions for satisfying RF exposure compliance.

